

CONNECT IT

Audio Cable Range

Pro-Ject
AUDIO SYSTEMS



E

S

DS

RS

Why quality cables are important?

Cables are not able to make your sound system sound better, but they ensure that **every detail** and information **of the signal** is transmitted to the dedicated receiving device. Using a poor cable can limit your whole HiFi setup and definitely can be the bottleneck of your sound experience.

Our new Connect it cable lineup **covers all your needs** and not only offers different connection types & technologies, but also various conductor & plug materials. It perfectly matches each quality level of our products.

With our **30 year experience** in HiFi we developed four cable lines which cover all your needs for analogue audio system connections.



High quality materials

Metal plugs & highest purity conductors



Connector diversity

XLR, mini XLR, 5P DIN and more



Made with care

Technically correct & beautiful looks



Physics doesn't lie

- **"A cable must be invisible to your ears!"** -



Good tires don't automatically make a car a sports car, but a sports car needs good tires to deliver its full performance on the road. The same applies to sound systems.


- **"Use the correct cable for your application!"** -

Every signal transmission type demands specific requirements for the cable. From the outside, you can not judge the cable at all. A standard line cable might look the same as a phono cable, but both will not work for each others application.

- **"High quality materials & build quality will make the difference"** -

We only use high purity copper and pure silver conductors, as these materials offer a premium signal transmission. Not only the conductor is important, also the dielectric, shielding and build quality itself. The same applies to the connectors. Additionally, the connectors always provide a tight fit to keep the contact resistance as low as possible.





Cross-Section Connect it E Phono

Comparison Chart - Phono & Line Cables



	E - LINE	S - LINE	DS - LINE	RS - LINE
Geometry	Symmetrical - separate shielding, + and - signal use same quality conductors (no coaxial cable)			
Conductor	99,9% OFC oxygen free copper	99,9% OFC oxygen free copper	99,9% OFC oxygen free copper	Matched crystal silver
Construction	2x 0,2 mm ² (19 x 0,1mm)	2x 0,2 mm ² (19 x 0,1mm)	2x 0,2 mm ² (19 x 0,1mm)	2x 0,2 mm ² (15x 0,10/0,12mm)
Dielectric	High density Polyethylene		High flexible cell polyethylene	
Shielding	Tin plated copper	OFC copper	Helical OFC copper with carbon sub jacket	Helical silver plated OFC copper with conductive TPE sub jacket
Jacket	Transparent PVC	TPE covered with black mesh	Special halogen-free TPE covered with black/white mesh	Special halogen-free TPE covered with metallic grey mesh
Capacity (per m)	100 pF	81 pF	75 pF	58 pF
Connector	Gold plated brass	Gold plated phosphor-bronze	Silver plated copper	Rhodium plated copper

E-LINE

Line & Phono Cables

High Performance signal cables, optimized for use with turntables and other audio components. These highly flexible and perfectly shielded cables offer low capacitance without any coloration in sound. „**State-of-the-Art**“ components for leads, dielectrics and plugs were chosen after intense listening tests.

E-LINE



E-LINE

LINE CABLES	CONNECTORS	LENGTHS
Line E RCA	RCA – RCA	0,41 / 0,82 / 1,23 m

PHONO CABLES	CONNECTORS	LENGTHS
Phono E RCA	RCA + Ground wire – RCA + Ground wire	1,23 m
Phono E 5P / RCA	5P DIN – RCA + Ground wire	
Phono E RCA / mini XLR	RCA + Ground wire – mini XLR female	
Phono E mini XLR / mini XLR	mini XLR male – mini XLR female	
5P / mini XLR (angle-plug)	5P DIN (angled) – mini XLR female	



RCA



RCA + Ground wire



Phono E 5 Pin



mini XLR Female



mini XLR Male

S-LINE

Line & Phono Cables

The Connect it **S** cables feature a shielded flexible OFC copper conductor for an interference free signal transmission. The gold plated connectors ensure a low contact resistance for a lifetime. Connect it S cables are handmade with care in Europe.



S-LINE



S-LINE

LINE CABLES	CONNECTORS	LENGTHS
Line S RCA	RCA – RCA	0,41 / 0,82 / 1,23 / 1,85

PHONO CABLES	CONNECTORS	LENGTHS
Phono S RCA	RCA + Ground wire – RCA + Ground wire	1,23 m
Phono S 5P / mini XLR	5P DIN – mini XLR female	
Phono S RCA / mini XLR	RCA + Ground wire – mini XLR female	
Phono S mini XLR / mini XLR	mini XLR male – mini XLR female	



RCA



RCA + Ground wire



Phono S 5 Pin



mini XLR FEMALE



mini XLR MALE



S Plugs




Connect it RCA Set S

- Set of 4 pieces
- Max. cable Ø 5,5mm
- Gold plated phosphor bronze conductor
- Transparent shell

DS-LINE

Line & Phono Cables

The Connect it **DS** cables feature OFC copper signal lines combined with silver plated full metal connectors. This combination results in a neutral, high quality signal transmission. The different connector types offer a broad compatibility with many products and transmission types.



LINE CABLES	CONNECTORS	LENGTHS
Line DS RCA	RCA – RCA	0,41 / 0,82 / 1,23 / 1,85 m
Line DS XLR	XLR female – XLR male	0,41 / 0,82 / 1,23 / 1,85 m

PHONO CABLES	CONNECTORS	LENGTHS
Phono DS RCA	RCA + Ground wire – RCA + Ground wire	1,23 m
Phono DS 5P / RCA	5P DIN – RCA + Ground wire	
Phono DS 5P / XLR	5P DIN – XLR male	
Phono DS 5P / mini XLR	5P DIN – mini XLR female	
Phono DS RCA / mini XLR	RCA – mini XLR female	
Phono DS mini XLR / mini XLR	mini XLR male – mini XLR female	
Phono DS mini XLR / XLR	mini XLR male – XLR male	

DS-LINE



RCA

RCA + Ground wire

Phono S 5 Pin

mini XLR Female


mini XLR Male



XLR Female

XLR Male

DS-LINE



DS Plugs



Connect it RCA Set DS

- Set of 4 pieces
- Max. cable Ø 5,5mm
- Silver plated berillium copper conductor
- Black painted non-conductive aluminium shell

RS-LINE

Line & Phono Cables

The Connect it **RS** line represents our top-notch cables. The signal lines are made out of highest-grade silver strands which results in a lower resistivity and better conductivity compared to copper. The low capacitance reduces high-frequency attenuation and ensures perfect transmission over the entire frequency range.



LINE CABLES	CONNECTORS	LENGTHS
Line RS RCA	RCA – RCA	0,41 / 0,82 / 1,23 / 1,85 m
Line RS XLR	XLR female – XLR male	0,41 / 0,82 / 1,23 / 1,85 m

PHONO CABLES	CONNECTORS	LENGTHS
Phono RS RCA	RCA + Ground wire – RCA + Ground wire	1,23 m
Phono RS 5P / RCA	5P DIN – RCA + Ground wire	
Phono RS RCA / mini XLR	5P DIN – XLR male	



RCA



RCA
+ Ground wire



Phono S
5 Pin



XLR
FEMALE




XLR
MALE




Connect it RCA Set RS

- Set of 4 pieces
- Max. cable Ø 5,5mm
- Rhodium plated berillium copper conductor
- Non-conductive carbon shell




Connect it XLR Set RS

- Set of 4 pieces (2x male, 2x female)
- Max. cable Ø 5,5mm
- Rhodium plated berillium copper conductor
- Non-conductive carbon shell





Comparison Chart - Speaker Cables



	E - LINE	S - LINE	DS - LINE	RS - LINE
Geometry	Solid core twisted circular array			
Conductor	99,9% OFC oxygen free copper	99,9% OFC oxygen free copper	99,9% OFC oxygen free copper	99,999% OCC continuous cast copper
Construction	4 x 0,75 mm ² solid core	4 x 0,75 mm ² solid core	8 x 0,75 mm ² solid core	4 x 0,75 mm ² solid core
Dielectric	High density Polyethylene			
Jacket	Transparent PVC	PVC covered with black mesh	PVC covered with black with white stripes mesh	PVC covered with metallic dark grey mesh
Connector	Ø 4mm banana	Ø 4mm banana or spades*		
	Gold plated brass	Gold plated phosphor-bronze	Silver plated copper	Rhodium plated berillium copper

*special order only - delivery time 4 weeks


Connect it Banana Set E



- Set of 4 pieces
- Ø 4mm
- Max. cable Ø 4,5mm
- Gold plated phosphor bronze conductor
- Transparent shell



Connect it Banana Set S



- Set of 4 pieces
- Ø 4mm
- Max. cable Ø 6mm
- Gold plated phosphor bronze conductor
- Transparent shell




Connect it Banana Set DS



- Set of 4 pieces
- Ø 4mm
- Max. cable Ø 6mm
- Silver plated berillium copper conductor
- Black painted non-conductive aluminium shell




Connect it Banana Set RS



- Set of 4 pieces
- Ø 4mm
- Max. cable Ø 6mm
- Rhodium plated berillium copper conductor
- Non-conductive carbon shell




Connect it Banana Set S



- Set of 4 pieces
- Max. cable Ø 6mm (incl. insert for smaller diameter)
- Gold plated phosphor bronze conductor
- Transparent shell
- Fork width: 8.3mm
- Weight: 19.4g




Connect it Banana Set DS



- Set of 4 pieces
- Max. cable Ø 6mm
- Silver plated berillium copper conductor
- Black painted non-conductive aluminium shell



Connect it Banana Set RS



- Set of 4 pieces
- Ø 4mm
- Max. cable Ø 6mm
- Rhodium plated berillium copper conductor
- Non-conductive carbon shell



	PRODUCT NAME	EAN CODE
E-LINE	CONNECT IT LINE E RCA 0,41M	9120129860031
	CONNECT IT LINE E RCA 0,82M	9120129861502
	CONNECT IT LINE E RCA 1,23M	9120122293935
	CONNECT IT PHONO E 5P/MiniXLR 1,23M (ANGLE-PLUG)	9120129867641
	CONNECT IT PHONO E 5P/RCA 1,23M	9120122294130
	CONNECT IT PHONO E MiniXLR/MiniXLR (TB) 1,23M	9120122293829
	CONNECT IT PHONO E RCA 1,23M	9120122294093
	CONNECT IT PHONO E RCA/MiniXLR (TB) 1,23M	9120122293836
	CONNECT IT LS-E 3,0M	9120082388528
	CONNECT IT LS-E 4,0M	9120082388535
	CONNECT IT PLUG BANANA LS E SET (2x RED / 2x BLACK)	9120122296417

	PRODUCT NAME	EAN CODE
S-LINE	CONNECT IT LINE S RCA 0,205M	9120122296158
	CONNECT IT LINE S RCA 0,41M	9120122293942
	CONNECT IT LINE S RCA 0,82M	9120122293959
	CONNECT IT LINE S RCA 1,23M	9120122293966
	CONNECT IT LINE S RCA 1,85M	9120122296165
	CONNECT IT PHONO S 5P/MiniXLR (TB) 1,23M	9120129863070
	CONNECT IT PHONO S MiniXLR/MiniXLR (TB) 1,23M	9120129863087
	CONNECT IT PHONO S RCA 1,23M	9120122294109
	CONNECT IT PHONO S RCA/MiniXLR (TB) 1,23M	9120129863094
	CONNECT IT LS-S 3,0M	9120122294215
	CONNECT IT LS-S 4,0M	9120122294222
	CONNECT IT PLUG BANANA LS S SET (2x RED / 2x BLACK)	9120122296356
CONNECT IT PLUG SPADE S SET (2x RED / 2x BLACK)	9120129867757	

	PRODUCT NAME	EAN CODE
DS-LINE	CONNECT IT LINE DS RCA 0,41M	9120122293973
	CONNECT IT LINE DS RCA 0,82M	9120122296172
	CONNECT IT LINE DS RCA 1,23M	9120122293980
	CONNECT IT LINE DS RCA 1,85M	9120122293997
	CONNECT IT LINE DS XLR 0,41M	9120122294031
	CONNECT IT LINE DS XLR 0,82M	9120122296189
	CONNECT IT LINE DS XLR 1,23M	9120122294048
	CONNECT IT LINE DS XLR 1,85M	9120122294055
	CONNECT IT PHONO DS 5P/MiniXLR (TB) 1,23M	9120129863100
	CONNECT IT PHONO DS 5P/RCA 1,23M	9120122294147
	CONNECT IT PHONO DS 5P/XLR (TB) 1,23M	9120129863117
	CONNECT IT PHONO DS MiniXLR/MiniXLR (TB) 1,23M	9120122293652
	CONNECT IT PHONO DS MiniXLR/XLR (TB) 1,23M	9120122293638
	CONNECT IT PHONO DS RCA 1,23M	9120122294116
	CONNECT IT PHONO DS RCA/MiniXLR (TB) 1,23M	9120122293621
	CONNECT IT LS-DS 3,0M	9120122294246
	CONNECT IT LS-DS 4,0M	9120122294253
	CONNECT IT PLUG BANANA LS DS SET (2x RED / 2x BLACK)	9120122296387
CONNECT IT PLUG DS RCA SET (2x RED / 2x WHITE)	9120122296462	
CONNECT IT PLUG SPADE DS SET (2x RED / 2x BLACK)	9120129867764	

	PRODUCT NAME	EAN CODE
RS-LINE	CONNECT IT LINE RS RCA 0,41M	9120122294000
	CONNECT IT LINE RS RCA 0,82M	9120122296196
	CONNECT IT LINE RS RCA 1,23M	9120122294017
	CONNECT IT LINE RS RCA 1,85M	9120122294024
	CONNECT IT LINE RS XLR 0,41M	9120122294062
	CONNECT IT LINE RS XLR 0,82M	9120122296202
	CONNECT IT LINE RS XLR 1,23M	9120122294079
	CONNECT IT LINE RS XLR 1,85M	9120122294086
	CONNECT IT PHONO RS 5P/RCA 1,23M	9120122294154
	CONNECT IT PHONO RS 5P/XLR (TB) 1,23M	9120122294178
	CONNECT IT PHONO RS RCA 1,23M	9120122294123
	CONNECT IT LS-RS 3,0M	9120122296226
	CONNECT IT LS-RS 4,0M	9120122296233
	CONNECT IT PLUG BANANA LS RS SET (2x RED / 2x BLACK)	9120122290125
CONNECT IT PLUG SPADE RS SET (2x RED / 2x BLACK)	9120129867771	
CONNECT IT PLUG RS XLR SET (4 PCS)	9120122296530	