




Limited availability only at selected dealers!



Selected Diamond ECC88 high-end tubes

roon
tested

DSD
Direct Stream Digital



DAC BOX RS Final Edition

**Classic High-End Pro-Ject DAC with exclusive modifications for final production run!
Highest Level Audio Performance - State of the Art Technology - Unique Features**

MSRP 1.199 € (incl. VAT)

colour options:



- **NEW** Selected Diamond ECC88 high-end tubes (SRP 199€/piece)
- **NEW** Selected components & improved internal wiring
- Double top grade 24bit/192kHz PCM-1792 D/A chip from Texas Instruments
- 9 Inputs: I²S, asynchronous USB, AES-EBU, optical, coax
- DSD (up to DSD128) capability (DSD over PCM)
- I²S interface for CD Box RS
- 2 selectable digital filter settings
- Fully balanced analogue audio circuitry
- Tube & solid-state output stage (switchable)
- Ultra linear & ultra low noise circuitry
- IR remote control included
- XLR & RCA line level output sockets
- Full aluminium casing in silver or black
- Made in Europe

D/A-converter: Double Texas Instruments PCM-1792
8 x Oversampling design
Sampling rates: 32/44,1/48/88,2/96/176,2/192 kHz,
(except optical up to 96kHz)
Selectable filter settings: „steep“ & „optimum phase“
9 digital inputs: 2x coax (S/PDIF), 4x optical (Toslink®),
USB B, 1x AES/EBU, 1x I²S
Precision clock output: BNC (use with CD Box RS)
Frequency response: 20Hz - 50kHz (+0/-1dB)
Output stages: ECC88 Diamond selection high-end tube
and solid state (switchable)
Analogue out: RCA/Cinch & XLR
Output voltage: max 4/2 Veff (XLR/RCA)
THD: 0,005% solid state out
0,25% tube out
Signal to noise ratio: 100dB
Power consumption: <1 watt standby, 800/300mA max
(tube/solid)
Outboard: Power supply 20V/3A DC (included)
Dimensions W x H x D: 206 x 72 x 200 (210mm with sockets)
Weight: 1890g without power supply

DAC Box RS Final Edition: A Legend Sent Off in Style!

The DAC Box RS is a reference-class D/A converter for digital stereo sources, designed for audiophiles who demand top-tier performance. It serves as a high-quality USB audio interface for HD computer audio and supports various inputs, including I²S with Master Clock, AES/EBU, optical, and coaxial.

With full DSD capability (up to DSD128) and support for 24/192kHz HD audio on all inputs (96/24 for optical), it ensures exceptional sound quality. The DAC Box RS features two premium PCM 1792 DAC chips and offers selectable digital filters to match your sound preferences.

Choose between a warm, relaxed tube output or a detailed, dynamic solid-state Class A output to suit your taste and music style. Its ultra-low noise, ultra-linear design, and low output impedance ensure a clean, interference-free signal.

Exclusive Final Edition Improvements

The **Final Edition** now includes two specially selected and matched diamond ECC88 high-end tubes, with an SRP of €199 per piece. These tubes elevate the audio



performance even further, making the DAC Box RS the ultimate high-end bargain! Other electrical components have been meticulously selected so that only the best are used in the DAC Box RS Final Edition and the internal wiring has been improved.




Upgrade Linear Power Supply

Clean and stable power is necessary for every HiFi setup. The included power supply is already a good base, but the **Power Box RS2 Sources** truly elevates the DAC Box RS to one of the best DACs on the market!

A linear power supply consists of a toroidal transformer with shielding between primary and secondary winding which acts as an isolation transformer and avoids penetration of interferences from mains into the sensitive DAC circuitry.

The Power Box RS2 Sources solves this issue beautifully by placing the transformer in its completely separate unit, again isolated by the massive and beautiful aluminium case. Therefore the DAC Box RS is shielded infinitely better than other solutions, which have the transformer built into the main unit.



Power Box RS2 Sources
optionally available